INDEX

Abies amabilis—Tsuga heterophylla type, 277–278
Abies amabilis—Tsuga heterophylla/Oxalis type, 276–277
Abies amabilis—Tsuga mertensiana type, 280
Abies lasiocarpa type, 281
Accumulation of calcium, 101–120
Adenostoma fasciculatum, 177–198
Age-distribution and abundance, flour beetles, 1–31
Alexander, G., article, 385–431
Allelopathy, 177–198
Altitude,
  latitude, 421–423
  phenology, 423–426
  zonation, 417–421
Altitudinal and seasonal distribution, Orthoptera, 385–431
Animal effects, 185, 329
Appalachian Mountains, 303–333
Asynchronous hatching, significance, 264
Avalanche effects, 296

Bimodality, seasonal, 481–482
Biogeography, avian, 166
Biomass, mollusc faunas, 50
Bliss, L. C., article, 271–301
Breeding ecology of herons, 245–270
  clutch size, 252–254
  hatching, 255
  incubation, 254–255
  mortality of eggs and young, 257
  nest, construction, 251
  onset of breeding, 248
Breeding migrations, *Notophthalmus viridescens,* 465–488

Calcium, 101–120, 320–323
California, 177–198
Cannibalism, flour beetle larvae, 18
Carbon dioxide, 360
Cattle egrets, 267
Chaetognatha community, 433–463
Chamise, 177–198
Chaparral, 177–198
Chemical history, Lake Victoria, 137–147
Chironomidae, 83-91
Chlorophyll, 366–367
Climate space, 234–242
  desert iguana, 235–236
  hypothetical animals, 239
  jack rabbit, 239
  Kentucky cardinal, 237–238
  masked shrew, 236
  pig, 238
  sheep, 238
  zebra finch, 236
Climatic interpretation, 162
Clutch size, herons
Colorado, 61–78
  regional variation, 263
  seasonal variation, 264
Cornus florida, 101–120
Crowding, effects of, 18
Cycling of calcium, 101–120

Decomposition, 113–114, 357–358, 360–362
Density, mollusc faunas, 48
Differentiation, ecological, 61–78
Diversity, mollusc faunas, 51
  community types, 287–289
Distribution, Orthoptera, 385–431
Dogwood, 101–120

Ecotypes, 61–78
Efficiency, 365–366
Endemism, 303–333
Energy budget, 228–230
Energy exchange, animal surface, 232–233
Epifaunal-infaunal relationships, molluscan, 42

Fecundity, Chaetognatha, 452–455
Fire, 177–178, 281–283, 294–295, 313–314, 325–327, 355–384
Flour beetles, age-distribution and abundance, 1–31
Flowering, 380–382
Foliar leachate, 111, 190–195
Fonda, R. W., article, 271–301
Food, Chaetognatha, 455–459
Food and feeding behavior of herons, 257–262
Forests, 101–120, 271–301, 303–333

Gates, David M., article, 227–244
Geographic variation, mollusc faunas, 40
  climatic trends, 40
  oceanographic factors, 40
Grasses, 61–78, 355–384
Gyraulus sp., 92

Heat transfer, in animals, 230–232
Helobdella stagnalis, 95
Herons, four species at Lake Alice, Florida, 245–270
Hilliard, J. R., article, 385–431
Hurlbert, S. H., article, 465–488
Hybridization, 328

Illinois, 355–384

Jenni, Donald A., article, 245–270

Kendall, Robert L., article, 121–176

Lake Victoria Basin, ecological history, 121–176
Lake Washington, profundal bottom fauna, 79–100
Light, 182–183, 376–377
Litter accumulation, 382–383

Macdonald, Keith B., article, 33–60
McPherson, James K., article, 177–198
Magnesium, 320–323
Mathematical models, mollusc faunas, 53–55
  logarithmic series, 54
  log-normal distribution, 54
  MacArthur's model, 55
Mertz, David B., article, 1–31
Microclimates, 355–384
Mineral leaching, 361–362
Mineral nutrients, 101–120, 179–182
Mollusc faunas, quantitativet salt marsh studies, 33–60
Molluscan provinces, 41
Montane zone, 271–301
Morphology, of *Pinus pungens,* 324–328
Muller, Cornelius H., article, 177–198
Murdoch, W. W., article, 335–354
Musca autumnalis DeGeer, larval mortality factors, 199–225
Mycorrhizae, 322–323

North Carolina, 306
Notophthalmus viridescens, 465–488
  migrations, 465

Old, Sylvia M., article, 355–384
Oligochaeta, 94
Olympic Mountains, 271–301
Ordination, 275–286, 289–291
Orthoptera, Rocky Mountains of Northern Colorado, 385–431
Oxygen levels in soils, 184–185

Pattern, forest, 286–287, 291–292
Pennsylvania, 306
Phenological stages, 65–69, 72, 316–319
Pinus pungens, 303–333
Plant production, 355–384
Pollen release, 317
Population regulation, 21
Porter, Warren P., article, 227–244
Prairie, 355–384
Precipitation, 372
Predation, adult flour beetles on pupae, 19
  functional response, 335–354
Predator specificity and stability of prey populations, 335–354
Production, plant, 355–384
Profundal bottom fauna, Lake Washington, 79–100
Pseudotsuga menziesii type, 279–280
Pseudotsuga menziesii–Tsuga heterophylla type, 278–279

Quantitative studies, salt marsh mollusc faunas, 33–60
Quinn, James A., article, 61–78

Radiation absorption, 233–234
Radioisotope labelling, 101–120
Roots, 367–368

Salt marsh mollusc faunas, North American Pacific coast, 33–60
Sand dropseed, 61–78
Santa Ynez Mountains, 177–198
Sedimentary record, northern Lake Victoria, 131–137
  absolute chronology, 133–135
    core P–2, 133
    core 64–4 and Entebbe–B, 135
Sedimentation rates, 135–137 core P–2, 135
Seed germination, 319
Seedling growth, 319–324
Serotiny of cones, 325–327
Snow basins, invasion by trees, 295–296
Soil, 275–276, 283–286, 308–309, 320–322, 329, 376
Soil heating, 185–187, 372–376
Soil moisture, 183–184, 319–320, 376
Solar radiation, 372
Speciation, cichlid fish, 166
Species diversity, 426–428
Specificity, predator-prey populations, 335–354
Sporobolus cryptandrus, 61–78
Stability, predator-prey populations, 335–354
Stone, J. H., article, 433–463
Stratigraphy, pollen, 154–164
Subalpine zone, 271–301
Switching in predators, 335–354
Symbiosis, cattle egret, 267

Table Mountain pine, 303–333
Temperature, 324, 328–329, 368, 377
Tennessee, 101–120
Thermodynamic equilibria, 227–244
Thomas, William A., article, 101–120
Thut, Rudolph N., article, 79–100
Toxins, 195
Trees, 101–120
Tribolium, age distribution and abundance, 1–31
Tsuga heterophylla—Pseudotsuga menziesii type, 278

Valiela, Ivan, article, 199–225
Vapor pressure deficit, 368, 376
Virginia, 306

Ward, Richard T., 61–78
Washington, State of, 271–301
Wind, 372, 376

Zobel, Donald B., article, 303–333
Zonation, mollusc faunas, 39
  topographical factors, 39
Zones, vegetational, 271–301